Combined Graduate Level Examination (Tier-II), 2018

Roll No.	
Registration No.	
Name	
Test Venue	Aakash Online Testing Center
Test Time	10:00 AM - 12:00 PM
Test Date	11/09/2019
Subject	CGLE Tier II Paper I Quantitative abilities

Section: Quantitative abilities

In a school, $\frac{4}{9}$ of the number of students are girls and the rest are boys. $\frac{3}{5}$ of the number of boys are below 12 years of age and $\frac{5}{12}$ of the number of girls are 12 years or above 12 years of age.

If the number of students below 12 years of age is 480, then $\frac{5}{18}$ of the total number of students in the school will be

Ans

X 1. 270

X 2. 315

√ 3. 225

X 4. 240

Question ID: 558101273

Status: Not Answered

Chosen Option: --

Q.2 If x + y + z = 11, $x^2 + y^2 + z^2 = 133$ and $x^3 + y^3 + z^3 = 881$, then the value of $\sqrt[3]{xyz}$ is:

Ans X 1. 6

X 2. -8

√ 3. -6

X 4. 8

Question ID: 558101324

Status: Answered

Chosen Option: 1

Q.3 When 7897, 8110 and 8536 are divided by the greatest number x, then the remainder in each case is the same. The sum of the digits of x is:

Ans

X 1. 14

X 2. 9

X 3. 5

4. 6

Question ID: 558101269

Status: Not Answered

Chosen Option: --

If $a^3 + b^3 = 218$ and a + b = 2, then the value of ab is:

X 1. −31







Question ID: 558101325 Status: Answered Chosen Option: 4

Q.5 In ∆ABC, D and E are the points on sides AB and BC respectively such that DE || AC. If AD: DB = 5:3, then what is the ratio of the area of ABDE to that of the trapezium ACED?

Ans

- 1. 9:55
- X 2. 9:64
- X 3. 1:6
- X 4. 4:25

Question ID: 558101334 Status: Answered Chosen Option: 1

A shopkeeper allows 28% discount on the marked price of an article and still makes a profit of 20%. If he gains ₹30.80 on the sale of one article, then what will be the cost price of the article?

Ans

- √ 1. ₹154
- X 2. ₹164
- X 3. ₹145
- X 4. ₹160

Question ID: 558101284 Status: Answered

Chosen Option: 1

The sum of the digits of a two-digit number is $\frac{1}{7}$ of the number. The units digit is 4 less than the tens digit. If the number obtained on reversing its digits is divided by 7, the remainder will be: Q.7

Ans

- 4. 6

Question ID: 558101272 Status: Answered

Chosen Option: 4

When 12, 16, 18, 20 and 25 divide the least number x, the remainder in each case is 4 but x is divisible by 7. What is the digit at the thousands' place in x?

Ans

- X 1. 3

- X 4. 4

Question ID: 558101270 Status: Not Answered

Chosen Option: --

Abhi rows upstream a distance of 28 km in 4 h and rows downstream a distance of 50 km in 2 h. To row a distance of Q.9 44.8 km in still water, he will take:

Ans

- ✓ 1. 2.8 h
- X 2. 2.4 h
- X 3. 3.2 h
- X 4. 2.2 h

Question ID: 558101302 Status: Answered

Chosen Option: 1

Q.10 What will be the compound interest on a sum of ₹31,250 for 2 years at 12% p.a., if the interest is compounded

Ans

- X 1. ₹8,106
- **√** 2. ₹8,116
- X 3. ₹8,156
- X 4. ₹8,016

Question ID: 558101288

Status: Not Answered

Chosen Option: --

Q.11 A and B started their journeys from X to Y and Y to X, respectively. After crossing each other, A and B completed the remaining parts of their journeys in $6\frac{1}{6}$ h and 8 h respectively. If the speed of B is 28 km/h, then the speed (in km/h) of

Ans

- X 1. 36
- **2**. 32
- X 3. 42
- X 4. 40

Question ID: 558101300

Status: Not Answered

Chosen Option: --

Q.12 What is the value of $\csc(65^{\circ} + \theta) - \sec(25^{\circ} - \theta) + \tan^2 20^{\circ} - \csc^2 70^{\circ}$?

Ans

- **X** 1. 2
- X 2. 1
- X 3. 0
- √ 4. −1

Question ID: 558101350

Status: Not Answered

Chosen Option: --

Q.13 If $2\sqrt{2}x^3 - 3\sqrt{3}y^3 = (\sqrt{2}x - \sqrt{3}y)(Ax^2 + By^2 + Cxy)$, then the value of $A^2 + B^2 - C^2$ is:

1. 7

	-		
×	2	1	1
•	۷.		

Question ID: 558101323 Status: Answered

Chosen Option: 1

Q.14 If the radius of the base of a cone is doubled, and the volume of the new cone is three times the volume of the original cone, then what will be the ratio of the height of the original cone to that of the new cone?

Ans 1. 2:9

- 2.9:4
- 3. 4:3
- 4.1:3

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

> Question ID: 558101314 Status: Answered

Chosen Option: 3

Q.15 A train travelling at the speed of x km/h crossed a 200 m long platform in 30 seconds and overtook a man walking in the same direction at the speed of 6 km/h in 20 seconds. What is the value of x?

Ans



Question ID: 558101303 Status: Answered

Chosen Option: 2

Q.16

An article is sold at a certain price. If it is sold at $33\frac{1}{3}\%$ of this price, there is a loss of $33\frac{1}{2}\%$. What is the percentage profit when it is sold at 60% of the original selling price?

Ans

$$\times$$
 1. $17\frac{1}{3}$

$$\times$$
 3. 33 $\frac{1}{2}$

Question ID: 558101280

Status: Not Answered

Chosen Option: --

Q.17 If a nine-digit number 389 x 6378 y is divisible by 72, then the value of $\sqrt{6x + 7y}$ will be:

Ans

- X 3. √13
- **4**. 8

Question ID: 558101260 Status: Answered Chosen Option: 4

Q.18 A person marks his goods x% above the cost price and allows a discount of 30% on the marked price. If his profit is 5%, then the value of x will be:

Ans

- X 1. 35
- **2**. 50
- X 3. 60
- X 4. 45

Question ID: 558101285 Status: Answered

Chosen Option: 2

When an article is sold for ₹355, there is a loss of 29%. To gain 21%, it should be sold for ₹:

Ans

- 1. 605
- X 2. 580.80
- X 3. 635
- X 4. 629.20

Question ID: 558101279 Status: Answered

Chosen Option: 1

If $(\sqrt{2} + \sqrt{5} - \sqrt{3}) \times k = -12$, then what will be the value of k?

Ans
$$(\sqrt{2} + \sqrt{5} + \sqrt{3})(2 - \sqrt{5})$$

$$\times$$
 2. $(\sqrt{2} + \sqrt{5} - \sqrt{3})(2 + \sqrt{5})$

$$\times$$
 3. $\sqrt{2} + \sqrt{5} + \sqrt{3}$

$$\checkmark$$
 4. $(\sqrt{2} + \sqrt{5} + \sqrt{3})(2 - \sqrt{10})$

Question ID: 558101271 Status: Not Answered

Chosen Option: --

Q.21 $\frac{(2\sin A)(1+\sin A)}{1+\sin A+\cos A}$ is equal to:

Ans \times 1. 1 + cos A - sin A

 \checkmark 2. 1 + $\sin A - \cos A$

 \times 3. 1 + sin A cos A

X 4. 1 - sin A cos A

10/30/2019

Question ID: 558101344 Status: Answered Chosen Option: 2

Q.22 If the diameter of the base of a cone is 42 cm and its curved surface area is 2310 cm², then what will be its volume (in cm³)?

Ans

X 1. 25872

X 2. 38808

√ 3. 12936

X 4. 19404

Question ID: 558101315

Status: Answered

Chosen Option: 4

If $x = \sqrt{1 + \frac{\sqrt{3}}{2}} - \sqrt{1 - \frac{\sqrt{3}}{2}}$, then the value of $\frac{\sqrt{2} - x}{\sqrt{2} + x}$ will be closest to:

X 2. 1.2

X 3. 1.4

X 4. 0.12

Question ID: 558101267

Status: Not Answered

Chosen Option: --

$$\left(\frac{1-\tan\theta}{1-\cot\theta}\right)^2+1=$$

Ans
$$\sqrt{1.} \sec^2 \theta$$

 \times 2. $\sin^2\theta$

 \times 3. cosec² θ

 \times 4. cos² θ

Question ID: 558101345

Status: Answered

Chosen Option: 1

Q.25 A sum of ₹18,000 is lent at 10% p.a. compound interest, compounded annually. What is the difference between the compound interest for 3rd year and 4th year?

Ans

X 1. ₹221.80

X 2. ₹220.60

√ 3. ₹217.80

X 4. ₹215.40

Question ID: 558101289

Status: Not Answered

Chosen Option: --

10/30/2019

Q.26 Three solid metallic spheres whose radii are 1 cm, x cm and 8 cm, are melted and recast into a single solid sphere of diameter 18 cm. The surface area (in cm²) of the sphere with radius x cm is:

Ans

1. 144π


× 2. 100π

× 3. 72π

× 4. 64π

Question ID: 558101310 Status: Answered Chosen Option: 1

Q.27 The bar graph shows the exports of Cars of Type A and B (in ₹ millions).



What is the ratio of the total exports of cars of type A in 2014 and 2018 to the total exports of cars of type B in 2015 and

Ans

X 1. 11:10


X 2. 3:2

√ 3. 10:9

X 4. 5:4

Question ID: 558101356 Status: Answered Chosen Option: 3

Q.28 The bar graph shows the exports of Cars of Type A and B (in ₹ millions).



In which year, the exports of cars of type A was 10% more than the average exports (per year) of cars of type A over the five years?

Ans 1. 2017

2. 2015

3. 2016

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

> Question ID: 558101358 Status: Answered Chosen Option: 3

Q.29 A and B can do a piece of work in 6 days and 8 days, respectively. With the help of C, they completed the work in 3 days and earned ₹1,848. What was the share of C?

Ans

- X 1. ₹462
- X 2. ₹693
- **√** 3. ₹231
- X 4. ₹924

Question ID: 558101306

Status: Answered Chosen Option: 3

Q.30 If (a+b): (b+c): (c+a) = 7:6:5 and a+b+c=27, then what will be the value of $\frac{1}{a}: \frac{1}{b}: \frac{1}{c}$?

Ans

- √1. 4:3:6
- X 2. 3:2:4
- X 3. 3:6:4
- X 4. 3:4:2

Question ID: 558101291

Status: Answered

Chosen Option: 1

Q.31 The base of right prism is a trapezium whose parallel sides are 11 cm and 15 cm and the distance between them is 9 cm. If the volume of the prism is 1731.6 cm3, then the height (in cm) of the prism will be:

Ans

- X 1. 15.2
- X 2. 14.2
- **√** 3. 14.8
- X 4. 15.6

Question ID: 558101317

Status: Answered

Chosen Option: 3

Q.32 The sides AB and AC of $\triangle ABC$ are produced to P and Q respectively. The bisectors of $\angle CBP$ and $\angle BCQ$ meet at R. If the measure of $\angle A$ is 44° , then what is the measure of $\frac{1}{2} \angle BOC$?

- Ans 1. 34°
 - 2. 330
 - 3. 38°
 - 4. 32°

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.


Question ID: 558101327

Status: Answered

Chosen Option: 1

Q.33

Study the graph and answer the question that follows.



What is the ratio of the total number of workers whose daily wages are less than ₹500 to the total number of workers whose daily wages are ₹600 and above?

Ans

X 1. 6:7

X 2. 3:4

X 3. 15:11

√ 4. 5:6

Question ID: 558101352 Status: Answered

Chosen Option: 4

In \triangle ABC, AB = 6 cm, AC = 8 cm, and BC = 9 cm. The length of median AD is:

Ans

$$\times$$
 1. $\frac{\sqrt{313}}{2}$ cm

$$\checkmark$$
 2. $\frac{\sqrt{119}}{2}$ cm

$$\times$$
 3. $\frac{\sqrt{115}}{2}$ cm

$$\times$$
 4. $\frac{\sqrt{317}}{2}$ cm

Question ID: 558101329

Status: Answered

Chosen Option: 2

Q.35 The ratio of investment by A to that by B in a business is 14:15 and the ratio of their respective profits at the end of a year is 2:5. If A invested the money for 3 months, then for how much time (in months) B invested his money?

Ans

Question ID: 558101297

Status: Answered

Chosen Option: 3

Q.36

The value of $\frac{(\cos 9^\circ + \sin 81^\circ)(\sec 9^\circ + \csc 81^\circ)}{\sin 56^\circ \sec 34^\circ + \cos 25^\circ \csc 65^\circ}$ is:





X 3. 4

X 4. $\frac{1}{2}$

Question ID: 558101349 Status: Answered

Chosen Option: 4

Q.37 The internal and external radii of a hollow hemispherical vessel are 6 cm and 7 cm respectively. What is the total surface area (in cm2) of the vessel?

Ans

× 1. 189π

¥ 2. 183π

× 3. 174π

× 4. 177π

Question ID: 558101309 Status: Answered Chosen Option: 2

Q.38 The graphs of the equations 3x + y - 5 = 0 and 2x - y - 5 = 0 intersect at the point $P(\alpha, \beta)$. What is the value of $(3\alpha + \beta)$?

Ans

X 1. 3

X 3. -4

X 4. 4

Question ID: 558101320 Status: Answered

Chosen Option: 2

Q.39 The given pie chart shows the breakup of total number of the employees of a company working in different offices (A, B, C, D and E). Total No. of employees = 2400

126°

What is the number of offices in which the number of employees of the company is between 350 and 650?

Ans

1. 3

X 2. 4

X 3. 2

Question ID: 558101353 Status: Answered

Chosen Option: 1

Q.40 A circle is inscribed in $\triangle ABC$, touching AB, BC and AC at the points P, Q and R respectively. If AB-BC=4 cm, AB - AC = 2 cm and the perimeter of $\triangle ABC = 32$ cm, then PB + AR is equal to:

Ans

- \times 1. $\frac{33}{5}$ cm
- $\sqrt{2}$ 2. $\frac{38}{3}$ cm
- X 3. 13 cm
- X 4. 12 cm

Question ID: 558101338 Status: Answered Chosen Option: 2

Travelling at 60 km/h, a person reaches his destination in a certain time. He covers 60% of his journey in $\frac{2}{5}$ th of the time. At what speed (in km/h) should he travel to cover the remaining journey so that he reaches the destination right on

Ans

- X 1. 42
- X 2. 48
- X 3. 36
- 4. 40

Question ID: 558101301 Status: Marked For Review Chosen Option: 4

Q.42 The ratio of the income of A to that of B is 5: 7. A and B save ₹4,000 and ₹5,000 respectively. If the expenditure of A is equal to $66\frac{2}{2}\%$ of the expenditure of B, then the total income of A and B is:

Ans

- X 1 ₹28,800
- √ 2. ₹24,000
- X 3. ₹26,400
- X 4. ₹25,200

Question ID: 558101292 Status: Answered Chosen Option: 2

Q.43 If $5\sin\theta - 4\cos\theta = 0$, $0^{\circ} < \theta < 90^{\circ}$, then the value of $\frac{5\sin\theta - 2\cos\theta}{5\sin\theta + 3\cos\theta}$ is:

Ans

- $X 1. \frac{3}{8}$

- \times 4. $\frac{3}{7}$

Question ID: 558101347 Status: Answered Chosen Option: 3

Q.44 If $a^2 + b^2 + c^2 + 96 = 8(a + b - 2c)$, then $\sqrt{ab - bc + ca}$ is equal to:

- Ans X 1. 6
 - \times 2. $2\sqrt{2}$
 - \times 3. $2\sqrt{3}$
 - **4**. 4

Question ID: 558101326

Status: Answered

Chosen Option: 4

Q.45 Let a, b and c be the fractions such that a < b < c. If c is divided by a, the result is $\frac{5}{2}$, which exceeds b by $\frac{7}{2}$. If $a+b+c=1\frac{11}{12}$, then (c-a) will be equal to:

Ans

- X 3. $\frac{1}{3}$
- X 4. 1

Question ID: 558101266

Status: Not Answered

Chosen Option: --

Q.46 In $\triangle ABC$, $\angle A = 58^{\circ}$. If I is the incentre of the triangle, then the measure of $\angle BIC$ is:

Ans

- √ 1. 119°
 - X 2. 112°
 - X 3. 123°
 - X 4. 109°

Question ID: 558101332

Status: Answered

Chosen Option: 1

Q.47 Radha marks her goods 25% above the cost price. She sells 35% of goods at the marked price, 40% at 15% discount and the remaining at 20% discount. What is her overall percentage gain?

Ans

- X 1. 10
- X 2. 12.75
- **√** 3. 11.25
- X 4. 11.75

Question ID: 558101283 Status: Not Answered

Chosen Option: --

PQRS is a cyclic quadrilateral in which PQ = 14.4 cm, QR = 12.8 cm and SR = 9.6 cm. If PR bisects QS, what is the length of PS?

X 1. 13.6 cm

X 2. 16.4 cm

√ 3. 19.2 cm

X 4. 15.8 cm

Question ID : 558101337 Status : Not Answered

Chosen Option : --

Q.49 If θ lies in the first quadrant and $\cos^2\theta - \sin^2\theta = \frac{1}{2}$, then the value of $\tan^2 2\theta + \sin^2 3\theta$ is:

Ans

X 1. 4/2

2 2. **4**

X 3.

X 4. 3

Question ID: 558101348

Status : Not Attempted and Marked For Review

Chosen Option: --

Q.50 A sum of ₹8,400 amounts to ₹11,046 at 8.75% p.a. simple interest in certain time. What is the simple interest on the sum of ₹9,600 at the same rate for the same time?

Ans

X 1. ₹2,686

× 2. ₹3,012

√3. ₹3,024

X 4. ₹2,990

Question ID : 558101286

Status: Answered

Chosen Option: 3

Q.51 From the top of a tower, the angles of depression of two objects on the ground on the same side of it, are observed to be 60° and 30° respectively and the distance between the objects is $400\sqrt{3}$ m. The height (in m) of the tower is:

Ans

X 1. 800

× 2. 800√3

× 3. 600√3

4. 600

Question ID : 558101351 Status : Answered

Chosen Option : 4

Q.52 Let $x = (633)^{24} - (277)^{38} + (266)^{54}$. What is the units digit of x?

Ans

X 1. 6

X 2. 4





Question ID: 558101259 Status: Not Answered

Chosen Option: --

Q.53 A right circular cylinder of maximum volume is cut out from a solid wooden cube. The material left is what percent of the volume (nearest to an integer) of the original cube?

Ans



X 2. 19



X 4. 28

Question ID: 558101313 Status: Answered

Chosen Option: 1

Q.54 To do a certain work, the ratio of efficiency of A to that of B is 3:7. Working together, they can complete the work in $10\frac{1}{2}$ days. They work together for 8 days. 60% of the remaining work will be completed by A alone in:

Ans 1.
$$6\frac{1}{2}$$
 days

- 2. 5 days
- 3. 4 days
- 4. $5\frac{1}{2}$ days

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question ID: 558101304

Status: Answered

Chosen Option: 2

Q.55 When the price of an item was reduced by 25%, then its sale was increased by x%. If there is an increase of 20% in the receipt of the revenue, then the value of x will be:

- Ans 1. 45
 - 2. 50
 - 3. 60
 - 4. 75

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question ID: 558101274

Not Attempted and Status Marked For Review

Chosen Option: --

Q.56 The average of thirteen numbers is 47. The average of the first three numbers is 39 and that of next seven numbers is 49. The 11th number is two times the 12th number and 12th number is 3 less than the 13th number. What is the average of 11th and 13th numbers?

Ans





X 3. 54.5

X 4. 56

Question ID: 558101294 Status: Not Answered

Chosen Option: --

Q.57 In $\triangle ABC$, $\angle A = 52^{\circ}$ and O is the orthocentre of the triangle (BO and CO meet AC and AB at E and F respectively when produced). If the bisectors of $\angle OBC$ and $\angle OCB$ meet at P, then the measure of $\angle BPC$ is:

Ans

X 1. 132°



X 3. 138°

X 4. 124°

Question ID: 558101331 Status: Not Answered

Chosen Option: --

In $\triangle ABC$, AB = 7 cm, BC = 10 cm, and AC = 8 cm. If AD is the angle bisector of $\angle BAC$, where D is a point on BC, Q.58 then BD is equal to:

Ans

$$\times$$
 2. $\frac{16}{3}$ cm

$$\times$$
 4. $\frac{15}{4}$ cm

Question ID: 558101330

Status: Not Answered

Chosen Option: --

$$\frac{(1+\cos\theta)^2+\sin^2\theta}{(\csc^2\theta-1)\sin^2\theta}=$$

Ans
$$\times 1 \cos \theta (1 + \sin \theta)$$

$$\checkmark$$
 2. $2 \sec \theta (1 + \sec \theta)$

$$\times$$
 3. $\sec \theta (1 + \sin \theta)$

$$\times$$
 4. $2\cos\theta(1+\sec\theta)$

Question ID: 558101342 Status: Not Answered

Chosen Option: --

Q.60 A number is first increased by 16% and then increased by 14%. The number, so obtained, is now decreased by 30%. What is the net increase or decrease percent in the original number (nearest to an integer)?

Ans

X 1. 6% increase

X 2. 9% decrease

3. 7% decrease

X 4. No increase or decrease

Question ID: 558101277

Status: Not Answered

Chosen Option: --

If $\sqrt{86-60\sqrt{2}} = a - b\sqrt{2}$, then what will be the value of $\sqrt{a^2 + b^2}$, correct to one decimal place?

- Ans X 1. 8.2
 - X 2. 7.2
 - **3.** 7.8
 - X 4. 8.4

Question ID: 558101268

Status: Not Answered

Chosen Option: --

Q.62 When x is added to each of 2, 3, 30 and 35, then the numbers obtained in this order, are in proportion. What is the mean proportional between (x + 7) and (x - 2)?

Ans

- X 1. 7
- X 3. 4
- 4. 6

Question ID: 558101290

Status: Not Answered

Chosen Option: --

A shopkeeper bought 120 quintals of wheat. 20% of it was sold at 25% loss. At what percent gain should he sell the rest Q.63 to gain 25% on the whole transaction?

Ans

- X 1. 35
- \times 2. $36\frac{1}{2}$
- **√** 3. 37 $\frac{1}{2}$
- X 4. 40

Question ID: 558101282

Status: Not Answered

Chosen Option: --

Q.64

$$\frac{\cot \theta + \cos \theta}{\cot \theta - \cos \theta}$$
 is equal to:

Ans

- \times 1 + sec θ tan θ
- \checkmark 2. $\sec \theta + \tan \theta$
- \times 3. sec θ tan θ
- \times 4. 1 sec θ tan θ

Question ID: 558101341

Status: Not Answered

Chosen Option: --

Q.65 The number of students in a class is 75, out of which $33\frac{1}{2}\%$ are boys and the rest are girls. The average score in

mathematics of the boys is $66\frac{2}{3}\%$ more than that of the girls. If the average score of all the students is 66, then the average score of the girls is:

Ans

- 1. 54
- X 2. 52
- X 3. 55
- X 4. 58

Question ID: 558101295

Status: Not Answered

Chosen Option: --

Raghav spends 80% of his income. If his income increases by 12% and the savings decrease by 10%, then what will be Q.66 the percentage increase in his expenditure?

Ans

- X 1. 16
- X 2. 22
- **√** 3. 17.5
- X 4. 20.5

Question ID: 558101275

Status: Not Answered

Chosen Option: --

Q.67 The sides of a triangle are 11 cm, 60 cm and 61 cm. What is the radius of the circle circumscribing the triangle?

Ans

- X 1 30 cm
- X 2. 31 cm
- X 3. 31.5 cm
- ✓ 4. 30.5 cm

Question ID: 558101328

Status: Not Answered

Chosen Option: --

Q.68 In a trapezium ABCD, DC || AB , AB = 12 cm and DC = 7.2 cm. What is the length of the line segment joining the midpoints of its diagonals?

- X 1. 4.8 cm
- X 2. 2.6 cm
- ✓ 3. 2.4 cm
- X 4. 3.6 cm

Question ID: 558101335

Status: Not Answered

Chosen Option: --

Q.69 In quadrilateral ABCD, the bisectors of $\angle A$ and $\angle B$ meet at O and $\angle AOB = 64^{\circ}$. $\angle C + \angle D$ is equal to:

Ans

- X 1. 136°
- X 2. 116°

- X 3. 148°
- ✓ 4. 128°

Question ID: 558101340 Status: Not Answered

Chosen Option: --

- Anu sold an article for ₹480 at some profit. Had she sold it for ₹400, then there would have been a loss equal to onethird of the initial profit. What was the cost price of the article?
- Ans
- X 1. ₹450
- X 2. ₹425
- 3. ₹420
- X 4. ₹430

Question ID: 558101281

Status: Answered

Chosen Option: 3

Q.71 If $\sin \theta = \sqrt{3} \cos \theta$, $0^{\circ} < \theta < 90^{\circ}$, then the value of $2\sin^2 \theta + \sec^2 \theta + \sin \theta \sec \theta + \csc \theta$ is:

Ans

- $\times 1. \frac{19+10\sqrt{3}}{6}$
- \times 2. $\frac{19+10\sqrt{3}}{3}$
- $X = 3. \frac{33+10\sqrt{3}}{3}$
- $\sqrt{4}$. $\frac{33+10\sqrt{3}}{6}$

Question ID: 558101346

Status: Answered

Chosen Option: 4

Q.72 If a cuboid of dimensions 32 cm × 12 cm × 9 cm is cut into two cubes of same size, what will be the ratio of the surface area of the cuboid to the total surface area of the two cubes?

Ans 1. 37:48

- 2. 32:39
- 3. 65:72
- 4. 24:35

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question ID: 558101319

Status: Not Answered

Chosen Option: --

The value of $\left(2\frac{6}{7} \text{ of } 4\frac{1}{5} \div \frac{2}{3}\right) \times 1\frac{1}{9} \div \left(\frac{3}{4} \times 2\frac{2}{3} \text{ of } \frac{1}{2} \div \frac{1}{4}\right)$ is:

 $\times 1.\frac{1}{5}$



Question ID: 558101264 Status: Not Answered

Chosen Option: --

The value of the expression $(\cos^6\theta + \sin^6\theta - 1)(\tan^2\theta + \cot^2\theta + 2)$ is:

Ans


$$\times$$
 1. -1

Question ID: 558101343 Status: Answered

Chosen Option: 3

Q.75 The given pie chart shows the breakup of total number of the employees of a company working in different offices (A, B, C, D and E).

Total No. of employees = 2400



If 40% of the number of employees in office A are shifted equally to office B and E, then what is the difference between the number of employees in B and that in C?

Ans

Question ID: 558101355

Status: Not Answered

Chosen Option: --

Q.76 In a constituency, 55% of the total number of voters are males and the rest are females. If 40% of the males are illiterate and 40% of the females are literate, then by what percent is the number of literate males more than that of illiterate

Ans

$$\times$$
 1. $18\frac{2}{9}$

$$\sqrt{2}$$
. $22\frac{2}{9}$

$$\times$$
 3. $22\frac{8}{11}$

$$\times$$
 4. $18\frac{2}{11}$

Question ID: 558101278 Status: Answered

Chosen Option: 2

Q.77 If the radius of a sphere is increased by 4 cm, its surface area is increased by 464π cm². What is the volume (in cm³) of the original sphere?

Ans

- \times 1. $\frac{15625}{8}\pi$
- \checkmark 2. $\frac{15625}{6}\pi$
- \times 3. $\frac{35937}{8}\pi$
- \times 4. $\frac{11979}{2}\pi$

Question ID: 558101318 Status: Not Answered

Chosen Option: --

Q.78 The value of 22. $\overline{4} + 11.5 \overline{67} - 33.5\overline{9}$ is:

- Ans \times 1. 0.3 $\overline{1}$
 - X 2. 0. 32
 - √ 3. 0.4 12
 - X 4. 0. 412

Question ID: 558101262

Status: Answered

Chosen Option: 3

Q.79 One of the factors of $(8^{2k} + 5^{2k})$, where k is an odd number, is:

- Ans X 1. 88
 - **2**. 89
 - X 3. 86
 - X 4. 84

Question ID: 558101265

Status: Not Answered

Chosen Option: --

Q.80 The lateral surface area of a cylinder is $352 \, \mathrm{cm}^2$. If its height is 7 cm, then its volume (in cm³) is:

 $(\text{Take }\pi = \frac{22}{7})$

- Ans X 1. 1078
 - **2** 1408
 - X 3. 1243
 - X 4. 891

Question ID: 558101311

Status: Answered

Chosen Option: 2

'A' started a business with a capital of ₹54,000 and admitted 'B' and 'C' after 4 months and 6 months, respectively. At the end of the year, the profit was divided in the ratio 1:4:5. What is the difference between the capitals invested by

Ans

- √ 1. ₹2,16,000
- × 2. ₹3,24,000
- X 3. ₹1,08,000
- X 4. ₹1,62,000

Question ID: 558101296

Status: Not Answered

Chosen Option: --

Q.82 In what ratio, sugar costing ₹60 per kg be mixed with sugar costing ₹42 per kg such that by selling the mixture at ₹56 per kg there is a gain of 12%?

Ans

- X 1. 5:7
- X 2. 8:9
- X 3. 5:6
- 4. 4:5

Question ID: 558101299

Status: Answered

Chosen Option: 4

Q.83 One year ago, the ratio of the age (in years) of A to that of B was 4:3. The ratio of their respective ages, 3 years from now, will be 6:5. What will be the ratio of respective ages of A and B, 9 years from now?

Ans

- X 1. 8:7
- V2.9:8
- X 3. 10:9
- X 4. 7:6

Question ID: 558101293

Status: Not Answered

Chosen Option: --

A certain number of persons can complete a work in 34 days working 9 h a day. If the number of persons is decreased by 40%, then how many hours a day should the remaining persons work to complete the work in 51 days?

Ans

- X 3. 12
- 4. 10

Question ID: 558101307

Status: Not Answered

Chosen Option: --

Q.85

The value of $\frac{7+8\times8\div8 \text{ of } 8+8\div8\times4 \text{ of } 4}{4\div4 \text{ of } 4+4\times4\div4-4\div4 \text{ of } 2}$ is:

X 2. 4.6

X 3. 7.8


X 4. 8.7

Question ID: 558101261 Status: Not Answered

Chosen Option: --

Q.86 The given pie chart shows the breakup of total number of the employees of a company working in different offices (A, B, C, D and E).

Total No. of employees = 2400



If the percentage of male employees in office C is 20% and that of female employees in E is 40%, then what is the ratio of the number of female employees in C to that of female employees in E?

Ans 1. 2:3

2. 3:2

3. 5:4

4. 3:8

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question ID: 558101354

Status: Not Answered

Chosen Option: --

Chord AB of a circle is produced to a point P, and C is a point on the circle such that PC is a tangent to the circle. If PC = 18 cm, and BP = 15 cm, then AB is equal to:

X 1. 8.5 cm

× 2. 5.8 cm

✓ 3. 6.6 cm

X 4. 6.2 cm

Question ID: 558101339

Status: Not Answered

Chosen Option: --

If $x^8 - 1442x^4 + 1 = 0$, then a possible value of $x - \frac{1}{x}$ is:

Ans X 1. 4

Question ID: 558101322

Status: Not Answered

Chosen Option: --

A sum of $\stackrel{?}{\sim}5,000$ is divided into two parts such that the simple interest on the first part for $4\frac{1}{5}$ years at $6\frac{2}{3}\%$ p.a is double the simple interest on the second part for $2\frac{3}{4}$ years at 4% p.a. What is the difference between the two parts?

Ans

- X 1. ₹680
- X 2. ₹560
- **√** 3. ₹600
- X 4. ₹620

Question ID: 558101287 Status: Not Answered

Chosen Option: --

Q.90 The volume of a right pyramid is $45\sqrt{3}$ cm³ and its base is an equilateral triangle with side 6 cm. What is the height (in cm) of the pyramid?

Ans

- X 1 20
- **2**. 15
- X 3. 12
- X 4. 18

Question ID: 558101308

Status: Answered

Chosen Option: 2

Q.91 The ratio of the volumes of two cylinders is x : y and the ratio of their diameters is a : b. What is the ratio of their

Ans

- X 1 xb: ya
- X 2. xa: yb
- \checkmark 3. xb^2 : ya^2
- $X = xa^2 : yb^2$

Question ID: 558101312

Status: Answered

Chosen Option: 3

Q.92 If each interior angle of a regular polygon is $\left(128\frac{4}{7}\right)^2$, then what is the sum of the number of its diagonals and the number of its sides?

Ans

- X 1. 19
- X 2. 15
- **3**. 21
- X 4. 17

Question ID: 558101333

Status: Not Answered

Chosen Option: --

Q.93

The value of $\frac{(253)^3 + (247)^3}{25.3 \times 25.3 - 624.91 + 24.7 \times 24.7}$ is 50×10^k , where the value of k is:

Question ID: 558101263 Status: Answered

Chosen Option: 3

Q.94 In △ABC, D is a point on side BC such that ∠ADC = ∠BAC. If CA = 12 cm, CB = 8 cm, then CD is equal to:

Ans 1. 18 cm

- 2. 15 cm
- 3. 12 cm
- 4. 16 cm

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

> Question ID: 558101336 Status: Answered Chosen Option: 1

Q.95 Pipes A, B and C can fill a tank in 30 h, 40 h and 60 h respectively. Pipes A, B and C are opened at 7 a.m., 8 a.m., and 10 a.m., respectively on the same day. When will the tank be full?

X 1. 9.40 p.m.

× 2. 10.20 p.m.

√ 3. 9.20 p.m.

X 4. 10.00 p.m.

Question ID: 558101305 Status: Not Answered

Chosen Option: --

Q.96 If the radius of a right circular cylinder is decreased by 20% while its height is increased by 40%, then the percentage change in its volume will be:

Ans

No increase or decrease

× 2. 1.04% increase

X 3. 10.4% increase


4. 10.4% decrease

Question ID: 558101316 Status: Answered

Chosen Option: 4

Q.97

The bar graph shows the exports of Cars of Type A and B (in ₹ millions).



The total exports of cars of type A in 2014 to 2017 is approximately what percentage less than the total exports of cars of type B in 2015 to 2018?

Ans

X 1. 14.3

X 2. 30.4

√ 3. 23.8

X 4. 31.3

Question ID: 558101357

Status: Answered

Chosen Option: 4

Q.98 The ratios of copper to zinc in alloys A and B are 3:4 and 5:9, respectively. A and B are taken in the ratio 2:3 and melted to form a new alloy C. What is the ratio of copper to zinc in C?

Ans

X 1.8:13

2. 27:43

X 3. 3:5

X 4. 9:11

Question ID: 558101298

Status: Answered

Chosen Option: 2

The graph of the equation x - 7y = -42, intersects the y-axis at $P(\alpha, \beta)$ and the graph of 6x + y - 15 = 0, intersects Q.99 the x-axis at Q(γ , δ). What is the value of $\alpha + \beta + \gamma + \delta$?

Ans

X 3. 6

√ 4.
¹⁷/₂

Question ID: 558101321

Status: Answered

Chosen Option: 4

Q.100 If A is 28% more than B and C is 25% less than the sum of A and B, then by what percent will C be more than A (correct to one decimal place)?

Ans

X 1. 43%

X 2. 32.2%

√ 3. 33.6%

X 4. 28%

0/30/2019	https://ssc.digialm.com//per/g27/pub/2207/touchstone/AssessmentQPHTMLMode1//2207O19232/2207O19232S1D1447/1571292209	€
	Question ID : 558101276 Status : Answered Chosen Option : 3	
		_