

CDS I 2021 Previous Year Question Paper: Mathematics

1.If $\frac{1}{1 \times 2} + \frac{1}{2 \times 3} + \frac{1}{3 \times 4} + \dots + \frac{1}{n(n+1)} = \frac{99}{100}$, then what is the value of n?

- A. 98
- B. 99
- C. 100
- D. 101

2.A train 200 m long passes a platform 100m long in 10 seconds. What is the speed of the train?

- A. 40 m/s
- B. 30 m/s
- C. 25 m/s
- D. 20 m/s

3.The incomes of A, B and C are in the ratio $7 \cdot 9 \cdot 10$ and their expenditures are in the ratio $8 \cdot 0 \cdot 15$. If A's saving is one-fourth of his income, then the ratio of savings of A, B and C is

- A. $56 \cdot 99 \cdot 69$
- B. $99 \cdot 56 \cdot 69$
- C. $69 \cdot 56 \cdot 99$
- D. $99 \cdot 69 \cdot 56$

4.Let the average score of a class of boys and girls in an examination be p. the ratio of boys and girls in the class is $3 \cdot 1$. If the average score of the boys is $(p+1)$, then what is the average score of the girls?

- A. $p-1$
- B. $p-2$
- C. $p-3$
- D. p

5.Which one of the following fractions will have minimum change in its value if 3 is added to both the numerator and denominator of all the fractions?

- A. $\frac{2}{3}$
- B. $\frac{3}{4}$
- C. $\frac{4}{5}$
- D. $\frac{5}{6}$

6. $4x^3 + 12x^2 - x - 3$ is divisible by

- A. $(2x+1)$ only
- B. $(2x-1)$ only
- C. Both $(2x+1)$ and $(2x-1)$
- D. Neither $(2x+1)$ nor $(2x-1)$

7. If the sum as well as the product of the roots of the equation $px^2 - 6x + q = 0$ is 6, then what is $(p+q)$ equal to?

- A. 8
- B. 7
- C. 6
- D. 5

8. If the equation $4x^2 - 2kx + 3k = 0$ has equal roots, then what are the values of k?

- A. 4, 12
- B. 4, 8
- C. 0, 12
- D. 0, 8

9. If $x + \frac{1}{x} = \frac{5}{2}$, then what is $x^4 - \frac{1}{x^4}$ equal to?

- A. $\frac{195}{16}$
- B. $\frac{255}{16}$
- C. $\frac{625}{16}$
- D. 0

10. For how many real values of k is $6kx^2 + 12kx - 24x + 16$ a perfect square for every integer x ?

- A. 0
- B. 1
- C. 2
- D. 4

11. What is the value of x , if $\frac{b + \sqrt{b^2 - 2bx}}{b - \sqrt{b^2 - 2bx}} = a$?

- A. $\frac{ab}{a+b}$
- B. $\frac{2ab}{a+1}$
- C. $\frac{2ab}{(a+1)^2}$
- D. $\frac{ab}{(a+b)^2}$

12. What is the unit digit in the expression of 67^{32} ?

- A. 1
- B. 3
- C. 7
- D. 9

13. If $p = \frac{\sqrt{3q+2} + \sqrt{3q-2}}{\sqrt{3q+2} - \sqrt{3q-2}}$, then what is the value of $p^2 - 3pq + 2$?

- A. 0
- B. 1
- C. 2
- D. 3

14.If $a+b+c=0$, then which of the following are correct?

I. $a^3+b^3+c^3=3abc$

II. $a^2+b^2+c^2=-2(ab+bc+ca)$

III. $a^3+b^3+c^3=-3ab(a+b)$

Select the correct answer using the code given below.

- A. 1 and 2 only
- B. 2 and 3 only
- C. 1 and 3 only
- D. 1, 2 and 3

15.What is the remainder when $27^{27}-15^{27}$ is divided by 6?

- A. 0
- B. 1
- C. 3
- D. 4

16.How many terms are there in the following product?

$$(a_1+a_2+a_3)(b_1+b_2+b_3+b_4)(c_1+c_2+c_3+c_4+c_5)$$

- A. 15
- B. 30
- C. 45
- D. 60

17.Consider the pairs of prime numbers (m,n) between 50 and 100 such that $m-n=6$. How many such pairs are there?

- A. 2
- B. 3
- C. 4
- D. 5

18. How many pairs of (x, y) can be chosen from the set $\{2, 3, 6, 8, 9\}$ such that $\frac{x}{y} + \frac{y}{x} = 2$, where $x \neq y$?

- A. 0
- B. 1
- C. 2
- D. 3

19. What is the remainder when $2^{1000000}$ is divided by 7?

- A. 1
- B. 2
- C. 4
- D. 6

20. If the number $413283P759387$ is divisible by 13, then what is the value of P?

- A. 3
- B. 6
- C. 7
- D. 8

21. What is $\frac{1}{bc(a-b)(a-c)} + \frac{1}{ca(b-c)(b-a)} + \frac{1}{ab(c-a)(c-b)}$ equal to?

- A. $a+b+c$
- B. 3
- C. $ab+bc+ca$
- D. 0

22. If $x(x-1)(x-2)(x-3)+1=k^2$, then which one of the following is a possible expression for k?

- A. $x^2 - 3x + 1$
- B. $x^2 - 3x - 1$
- C. $x^2 + 3x - 1$
- D. $x^2 - 2x - 1$

$$\frac{12}{7 - \frac{6}{7 - \frac{3}{5-x}}} = x?$$

23. For what integral value of x is

- A. 4
- B. 3
- C. 2
- D. 1

24. What is $\frac{8x}{1-x^4} - \frac{4x}{x^2+1} + \frac{x+1}{x-1} - \frac{x-1}{x+1}$ equal to?

- A. 0
- B. 1
- C. 2
- D. 4

25. What is the HCF of $x^3 - 19x + 30$ and $x^2 - 5x + 6$?

- A. $(x+2)(x-3)$
- B. $(x-2)(x+3)$
- C. $(x+2)(x-1)$
- D. $(x-3)(x-2)$

26. Consider the following statements:

- I. If x is directly proportional to z and y is directly proportional to z , then $(x^2 - y^2)$ is directly proportional to z^2 .
- II. If x is inversely proportional to z and y is inversely proportional to z , then $xy(x^2 - y^2)$ is inversely proportional to z^2 .

Which of the above statements is/are correct?

- A. 1 only
- B. 2 only
- C. Both 1 and 2
- D. Neither 1 nor 2

27. If $(x-k)$ is the HCF of x^2+ax+b and x^2+cx+d , then what is the value of k?

- A. $\frac{d-b}{c-a}$
- B. $\frac{d-b}{a-c}$
- C. $\frac{d+b}{c+a}$
- D. $\frac{d-b}{c+a}$

28. If $\frac{x}{a} + \frac{y}{b} = a+b$ and $\frac{x}{a^2} + \frac{y}{b^2} = 2$, then what is $\frac{x}{a^2} - \frac{y}{b^2}$ equal to?

- A. -2
- B. -1
- C. 0
- D. 1

29. What should be added to $\frac{1}{(x-2)(x-4)}$ to get $\frac{2x-5}{(x^2-5x+6)(x-4)}$?

- A. $\frac{1}{x^2-7x+12}$
- B. $\frac{1}{x^2+7x+12}$
- C. $\frac{1}{x^2-7x-12}$
- D. $\frac{1}{x^2+7x-12}$

30. The expression $\frac{(x^3 - 1)(x^2 - 9x + 14)}{(x^2 + x + 1)(x^2 - 8x + 7)}$ simplifies to:

- A. $(x - 1)$
- B. $(x - 2)$
- C. $(x - 7)$
- D. $(x + 2)$

31. Let the work done by $(x - 1)$ men in $(x + 1)$ days be y . Let the work done by $(x + 2)$ men in $(x - 1)$ days be z . If $y : z = 9 : 10$, then what is the value of x ?

- A. 8
- B. 9
- C. 10
- D. 12

32. If 20 persons can clean 20 floors in 20 days, then in how many days can 16 persons clean 16 floors?

- A. 25 days
- B. 24 days
- C. 20 days
- D. 16 days

33. In a mixture of 80 litres of a liquid and water, 25% of the mixture is the liquid. How much water should be added to the mixture so that the liquid becomes 20% of the mixture?

- A. 15 litres
- B. 20 litres
- C. 24 litres
- D. 25 litres

34. X sells his goods 25% cheaper than Y and 25% dearer than Z. How much percentage is Z's goods cheaper than Y?

- A. $\frac{100}{3}\%$
- B. 40%
- C. 50%
- D. $\frac{200}{3}\%$

35. The cost price of 100 mangoes is equal to the selling price of 80 mangoes. What is the profit percentage?

- A. 16%
- B. 20%
- C. 24%
- D. 25%

36. Walking at $\frac{4}{5}$ th of his usual speed, a man is 12 minutes late for his office. What is the usual time taken by him to cover that distance?

- A. 48 minutes
- B. 50 minutes
- C. 54 minutes
- D. 60 minutes

37. A train travels 600 km in 5 hours and the next 900 km in 10 hours. What is the average speed of the train?

- A. 80 kmph
- B. 90 kmph
- C. 100 kmph
- D. 120 kmph

38. The difference between the compound interest (compounded automatically) and the simple interest on a certain sum of money at 12% per annum for 2 years is Rs. 72. What is the principal amount?

- A. Rs. 6,500
- B. Rs. 6,000
- C. Rs. 5,500
- D. Rs. 5,000

39. A sum of money was invested at simple interest at a certain rate for 5 years. Had it been invested at 5% higher rate, it would have fetched Rs.500 more. What was the principal amount?

- A. Rs. 2000
- B. Rs. 1800
- C. Rs. 1600
- D. Rs. 1200

40. A trader gives successive discounts of 20%, 10% and 5% respectively. What is the overall discount?

- A. 30%
- B. 31.6%
- C. 32.8%
- D. 35%

41. If the equation $x^2 + y^2 - 2xy \sin^2 \theta = 0$ contains real solution for x and y , then

- A. $x = y$
- B. $x = -y$
- C. $x = 2y$
- D. $2x = y$

42. What is the ratio of the greatest to the smallest value of $2 - 2 \sin x - \sin^2 x$ for $0 \leq \theta \leq \frac{\pi}{2}$?

- A. -3
- B. -2
- C. -1
- D. 1

43. If $p = \sin^2 \theta + \cos^4 \theta$ for $0 \leq \theta \leq \frac{\pi}{2}$ then consider the following statements:

- I. p can be less than $\frac{3}{4}$.
- II. p can be more than 1.

Which of the above statements is/are correct?

- A. 1 only
- B. 2 only
- C. Both 1 and 2
- D. Neither 1 nor 2

44. If $\sin \theta \cos \theta = k$, where $0 \leq \theta \leq \frac{\pi}{2}$, then which of the following is correct?

- A. $0 \leq k \leq 1$
- B. $0 \leq k \leq 0.5$ only
- C. $0.5 \leq k \leq 1$ only
- D. $0 < k < 1$

45. What is the least value of $3\sin^2 \theta + 4\cos^2 \theta$?

- A. 5
- B. 4
- C. 3
- D. 2

46. If $5^{x-3} = 8$, then what is x equal to?

- A. $\frac{3}{1 - \log_{10} 2}$
- B. $\frac{3}{1 + \log_{10} 2}$
- C. $\frac{2}{1 - \log_{10} 2}$
- D. $\frac{5}{1 - \log_{10} 2}$

47. If n is any natural number, then $5^{2n} - 1$ is always divisible by how many natural numbers?

- A. 1
- B. 4
- C. 6

D. 8

48. The sum of the reciprocals of two alternate natural numbers is $\frac{7}{24}$. What is the sum of the numbers?

- A. 12
- B. 13
- C. 14
- D. 16

49. What is the square root of $15 - 4\sqrt{14}$?

- A. $2\sqrt{2} - \sqrt{7}$
- B. $3\sqrt{2} - 2\sqrt{7}$
- C. $\sqrt{15} - \sqrt{7}$
- D. $\sqrt{5} - \sqrt{3}$

50. What is $\log_{10} 31.25$ equal to?

- A. $3 - 5 \log_{10} 2$
- B. $3 - 2 \log_{10} 2$
- C. $5 - 5 \log_{10} 2$
- D. $5 - 3 \log_{10} 2$

51. The surface area of a cube is equal to that of a sphere. If x is the volume of the cube and y is the volume of the sphere, then what is $x^2 : y^2$ equal to?

- A. $\pi : 6$
- B. $6 : \pi$
- C. $\pi : 3$
- D. $3 : \pi$

52. ABC is a triangle right angled at A and AD is perpendicular to BC. If $BD = 8$ cm and $DC = 12.5$ cm, then what is AD equal to?

- A. 7.5 cm
- B. 8.5 cm
- C. 9 cm
- D. 10 cm

53. Two isosceles triangles have equal vertical angle and their areas are in the ratio 48 : 529. What is the ratio of their corresponding heights?

- A. 11:23
- B. 23:25
- C. 22:23
- D. 484:529

54. $\triangle ABC$ is similar to $\triangle DEF$. The perimeters of $\triangle ABC$ and $\triangle DEF$ are 40 cm and 30 cm respectively. What is the ratio of $(BC + CA)$ to $(EF + FD)$ equal to?

- A. 5 : 4
- B. 4 : 3
- C. 3 : 2
- D. 2 : 1

55. In a trapezium ABCD, AB is parallel to DC. The diagonal AC and BD intersect at P. If $AP : PC = 4 : (4x - 4)$ and $BP : PD = (2x - 1) : (2x + 4)$, then what is the value of x ?

- A. 4
- B. 3
- C. $\frac{3}{2}$
- D. 2

56. If the perimeter of a semicircular park is 360 m, then what is its

area? $\left(\text{Take } \pi = \frac{22}{7} \right)$

- A. 3850 m²
- B. 7700 m²
- C. 11550 m²
- D. 15400 m²

57. A wire is in the form of a circle of radius 70 cm. if it is bent in the form of a rhombus, then what is its side length?
(Take $\pi = \frac{22}{7}$)

- A. 55 cm
- B. 75 cm
- C. 95 cm
- D. 110 cm

58. A sector is cut from a circle of radius 21 cm. if the length of the arc of the sector 55 cm, what is the area of the sector?

- A. 577.5 cm²
- B. 612.5 cm²
- C. 705.5 cm²
- D. 725.5 cm²

59. A sphere of diameter 6 cm is dropped into a cylindrical vessel partly filled with water. The radius of the vessel is 6 cm. if the sphere is completely submerged in water, then by how much will the surface level of water be raised?

- A. 0.5 cm
- B. 1 cm
- C. 1.5 cm
- D. 2 cm

60. A cloth of 3 m width is used to make a conical tent 12 m in diameter with a slant height of 7 m. what is the length of the cloth?
(Take $\pi = \frac{22}{7}$)

- A. 21 m
- B. 28 m
- C. 44 m
- D. 66 m

61. A vertical tower standing at the corner of a rectangular fields subtends angle of 60° and 45° at the two nearer corners. If θ is the angle that the tower subtends at the farthest corner, then what is $\cot\theta$ equal to?

- A. $\frac{1}{2}$
- B. 2
- C. $\frac{2}{\sqrt{3}}$
- D. $\frac{4}{\sqrt{3}}$

62. A pole on the ground leans at 60° with the vertical. At a point x metre away from the base of the pole on the ground, two halves of the pole subtend the same angle. If the pole and the point are in the same vertical plane, then what is the length of the pole?

- A. $\sqrt{2}x$ metre
- B. $\sqrt{3}x$ metre
- C. $2x$ metre
- D. $2\sqrt{2}x$ metre

63. If $6 + 8 \tan \alpha = \sec \alpha$ and $8 - 6 \tan \alpha = k \sec \alpha$, then what is the value of k^2 ?

- A. 11
- B. 22
- C. 77
- D. 99

64. What is $(1 + \cot \theta - \csc \theta)(1 + \tan \theta + \sec \theta)$ equal to?

- A. 4
- B. 3
- C. 2
- D. 1

65. If $\sec \theta + \cos \theta = \frac{5}{2}$, where $0 \leq \theta \leq 90^\circ$, then what is the value of $\sin^2 \theta$?

- A. $\frac{1}{4}$
- B. $\frac{1}{2}$
- C. $\frac{3}{4}$
- D. 1

66. Let $\cos \theta + \cos \beta = 2$ and $\sin \theta + \sin \beta = 0$, where $0 \leq \alpha \leq 90^\circ, 0 \leq \beta \leq 90^\circ$. What is the value of $\cos 2\alpha - \cos 2\beta$?

- A. 0
- B. 1
- C. 2
- D. Cannot be determined due to insufficient data

67. Let ABC be a triangle right angled at C, then what is $\tan A + \tan B$ equal to?

- A. $\frac{a}{bc}$
- B. $\frac{a^2}{bc}$
- C. $\frac{b^2}{ac}$
- D. $\frac{c^2}{ab}$

68. If $\csc \theta - \cot \theta = m$, then what is $\csc \theta$ equal to?

- A. $m + \frac{1}{m}$
- B. $m - \frac{1}{m}$
- C. $\frac{m}{2} + \frac{2}{m}$
- D. $\frac{m}{2} + \frac{1}{2m}$

69. If $p = \sec \theta - \tan \theta$ and $q = \csc \theta + \cot \theta$, then what is $p + q(p - 1)$ equal to?

- A. -1
- B. 0
- C. 1
- D. 2

70. Consider the following inequalities:

I. $\sin 1^\circ < \cos 57^\circ$

II. $\cos 60^\circ > \sin 57^\circ$

Which of the above is/are correct?

- A. 1 only
- B. 2 only
- C. Both 1 and 2
- D. Neither 1 nor 2

71. A hollow spherical shell is made up of a metal of density 3 g/cm^3 . If the internal and external radii are 5 cm and 6 cm respectively, then what

is the mass of the shell? $\left(\text{Take } \pi = \frac{22}{7} \right)$

- A. 1144 g
- B. 1024 g
- C. 840 g
- D. 570 g

72. A rectangular paper is 44 cm long and 22 cm wide. Let x be the volume of the largest cylinder formed by rolling the paper along its length and y be the volume of the largest cylinder formed by rolling the paper

along its width. What is the ratio of x to y ? $\left(\text{Take } \pi = \frac{22}{7} \right)$

- A. 1 : 1
- B. 2 : 1
- C. 1 : 2
- D. 3 : 2

73. A cone of height 24 cm has a curved surface area 550 cm^2 . What is the ratio of its radius to slant height?
(Take $\pi = \frac{22}{7}$)

- A. $\frac{5}{12}$
- B. $\frac{5}{13}$
- C. $\frac{7}{25}$
- D. $\frac{7}{27}$

74. A metal solid cube of side 22 cm is melted to make a cone of height 21 cm. What is the radius of the base of the cone?
(Take $\pi = \frac{22}{7}$)

- A. 11 cm
- B. 16.5 cm
- C. 22 cm
- D. 27.5 cm

75. A conical vessel whose internal radius is 5 cm and height 24 cm is full of water. The water is emptied into a cylindrical vessel with internal radius 10 cm. What is the height to which the water rises?

- A. 1 cm
- B. 2 cm
- C. 3 cm
- D. 4 cm

76. A metal solid cube of edge 24 cm is melted and made into three small cubes. If the edge of two small cubes are 12 cm and 16 cm, then what is the surface area of the third small cube?

- A. 1200 cm^2
- B. 1800 cm^2
- C. 2400 cm^2
- D. 3600 cm^2

77. The difference between the outside and the inside surface area of a cylindrical pipe 14 cm long is 44 cm^2 . The pipe is made of 99 cm^3 of metal. If R is the outer radius and r is the inner radius of the pipe, then
(Take $\pi = \frac{22}{7}$)

what is $(R+r)$ equal to?

- A. 9 cm
- B. 7.5 cm
- C. 6 cm
- D. 4.5 cm

78. The ratio of the radius of base to the height of a cylinder is $2 : 3$. If the volume of the cylinder is 1617 cm^3 , then what is the curved surface area of the cylinder?
(Take $\pi = \frac{22}{7}$)

- A. 242 cm^2
- B. 385 cm^2
- C. 462 cm^2
- D. 770 cm^2

79. A solid sphere of diameter 60 mm is melted to stretch into a wire of length 144 cm. what is the diameter of the wire?

- A. 0.5 cm
- B. 1 cm
- C. 1.5 cm
- D. 2 cm

80. A cone and a hemisphere have equal bases and equal volumes. What is the ratio of the height of the cone to the radius of the hemisphere?

- A. 1:1
- B. 2:1
- C. 3:2
- D. 4:3

81. A circle touches all the four sides of a quadrilateral ABCD. If $AB = 9 \text{ cm}$, $BC = 8 \text{ cm}$ and $CD = 12 \text{ cm}$, then what is DA equal to?

- A. 14 cm
- B. 13 cm

- C. 12 cm
- D. 11 cm

82. ABCD is a trapezium in which AB is parallel to DC and $2AB = 3DC$. The diagonals AC and BD intersect at O. what is the ratio of the area of $\triangle AOB$ to that of $\triangle DOC$?

- A. 2:1
- B. 3:2
- C. 4:1
- D. 9:4

83. ABC is a triangle right angled at C. let p be the length of the perpendicular drawn from C on AB. If BC = 6 cm and CA = 8 cm, then what is the value of p?

- A. 5.4 cm
- B. 5 cm
- C. 4.8 cm
- D. 4.2 cm

84. If the perimeter of a right-angled triangle is 30 cm and the hypotenuse is 13 cm, then what is the area of the triangle?

- A. 24 cm^2
- B. 27 cm^2
- C. 30 cm^2
- D. 36 cm^2

85. Let PAB be a secant to a circle intersecting the circle at A and B. let PT be the tangent segment. If PA = 9 cm and PT = 12 cm, then what is AB equal to?

- A. 5 cm
- B. 6 cm
- C. 7 cm
- D. 8 cm

86. The sides of a triangle ABC are 4 cm, 6 cm and 8 cm. with the vertices of the triangle as centres three circles are drawn each touching the other two externally. What is the sum of the radii of the three circles?

- A. 6 cm
- B. 7 cm
- C. 9 cm
- D. 10 cm

87. An equilateral triangle ABC and a scalene triangle DBC are inscribed in a circle on same side of the arc. What is $\angle BDC$ equal to?

- A. 30°
- B. 45°
- C. 60°
- D. 90°

88. AB and CD are the diameters of a circle which intersects at P. Join AC, CB, BD and DA. If $\angle PAD = 60^\circ$, then what is $\angle BPD$ equal to?

- A. 30°
- B. 60°
- C. 90°
- D. 120°

89. ABC is a triangle right angled at B. let M and N be two points on AB such that $AM = MN = NB$. Let P and Q be two points on AC such that PM is parallel to QN and QN is parallel to CB. If BC = 12 cm, then what is (PM + QN) equal to?

- A. 10 cm
- B. 11 cm
- C. 12 cm
- D. 13 cm

90. The sides of a right-angled triangle are in the ratio $x:(x-1):(x-18)$. What is the perimeter of the triangle?

- A. 28 units
- B. 42 units
- C. 56 units
- D. 84 units

91. In which year, the production of type I is more than the sum of the production of type III and Type IV?

- A. 2001
- B. 2002
- C. 2003
- D. 2004

92. The ratio of percentage drop in total production in 2004 compared to 2001 to that in 2000 compared to 2001, is

- A. $\frac{1}{3}$
- B. $\frac{1}{4}$
- C. $\frac{1}{2}$
- D. $\frac{1}{5}$

93. In which one of the following pairs of years, the difference in total number of tablets produced between them is minimum?

- A. (2003, 2005)
- B. (2001, 2005)
- C. (2003, 2004)
- D. (2000, 2002)

###COMMON###94###94### For the next four items, consider the following data with regard to different types (I, II, III, IV, V) of multivitamin tablets produced in a company (in lakhs):

Year	I	II	III	IV	V
2000	160	80	70	90	75
2001	200	150	85	160	100
2002	135	35	44	95	85
2003	240	95	120	80	120
2004	180	110	85	95	115
2005	210	150	100	92	110

###DONE###

94.

Which product is produced least over the years 2000-2005?

- A. Type II
- B. Type III
- C. Type IV
- D. Type V

95. Let p be the mean of m observations and q be the mean of n observations, where $p \leq q$. If the combined mean of $(m+n)$ observations is c , then which of the following is correct?

- A. $c \leq p$
- B. $c \geq p$
- C. $p \leq c \leq q$
- D. $q \leq c \leq p$

96. The marks obtained by 5 students are 21, 27, 19, 26, 32. Later on 5 grace marks are added to each student. What are the average marks of the revised marks of the students?

- A. 26
- B. 30
- C. 31
- D. 32

97. What is the arithmetic mean of the first ten composite numbers?

- A. 8.5
- B. 9.5
- C. 10.2
- D. 11.2

98. What is the median of the following data?

2,3,-1,2,6,8,9

- A. 2
- B. 3
- C. 4
- D. 5

###COMMON###99###99###Direction: The following table shows the marks of 90 students in a test of 80 marks:

Marks	Number of students
1-10	5
11-20	8
21-30	10
31-40	13
41-50	18
51-60	17
61-70	12
71-80	7

###DONE###

99.

The percentage of students who have obtained less than or equal to 50% marks is:

- A. 30%
- B. 40%
- C. 45%
- D. 60%

100. Consider the following data with regard to production of cars (in lakhs):

	Year 2015	Year 2016
Country A	35	38
Country B	45	47
Country C	88	93
Country D	75	79
Country E	58	60.9

In which of the countries, the production of cars has increased by more than or equal to 5% in 2016 over 2015?

- A. B and E
- B. A, C and D only
- C. A, C, D and E
- D. A, D and E only