

Get Ready to Crack CSIR-NET 2021 (Study Notes on Pericyclic Reactions)



Pericyclic reactions


A pericyclic reaction follows a concerted type mechanism and proceeds through a cyclic transition state. These reactions take place in the presence of either light or heat and are completely stereospecific i.e. a single stereoisomer of the reactant will form a single stereoisomer of the product.

Pericyclic reactions are of two types: electrocyclic reactions and cycloadditions.


Electrocyclic reaction:

It is a reversible reaction which involves ring closure or ring opening.

- In a ring closure electrocyclic reaction, there is formation of a cyclic product which contains one more σ bond and one fewer π bond than the reactant.




- In a ring-opening electrocyclic reaction, a σ bond of a cyclic reactant is cleaved to form a conjugated product having more than one π bond.




Cycloaddition reaction:

A cycloaddition is an intermolecular reaction in which compounds having π bonds form a cyclic product with two new σ bonds.




Diels–Alder reaction: It is a thermal [4 + 2] cycloaddition that occurs between a diene with four π electrons and a dienophile with two π electrons.

Note : (4 and 2 refers to the number of π electrons)



Photochemical reaction : It is a [2 + 2] cycloaddition that occurs between two alkenes, each having two π electrons and results in the formation of cyclobutane.


Note :Thermal [2 + 2] cycloadditions do not take place



Molecular Orbitals

MO theory considers bonds as the mathematical combination of atomic orbitals that forms a new set of orbitals called molecular orbitals (MOs).

Ethylene π molecular orbitals



Two p orbitals can combine in two different ways and result in the formation a π bonding molecular orbital (designated as ψ_1) and a π^* antibonding molecular orbital (designated as ψ_2^*)

Advantages of Pericyclic reactions :

- Less probability of formation of unwanted side products since these reactions are unaffected by the influence of solvent or any reagent).
- The reaction is highly stereospecific in nature because of concerted orbital symmetry
- Variety of applications in biosynthesis.
- This reaction is also a non-conventional energy source e.g. the conversion of cyclobutane to two ethylene molecules is accompanied by the release of heat.

Gradeup CSIR-NET Super Subscription

Features:

1. Memory Based Test Series of the actual exam paper.
2. All the CSIR NET Test Series based on the latest pattern and the trend that is followed.
3. Detailed performance analysis based on All India Rank after the completion of the test.
4. Mock Test are available in Hindi & English
5. Available on Mobile and Desktop

Gradeup Super Subscription, Enroll Now

